

**Tectyl™**

# Product Catalog 2019

Born to protect.



**KUTZENDÖRFER &  
DWORAK GmbH**

A-1230 Wien, Kolpingstraße 17

Tel: +43 (0) 1 616 22 10 E-Mail: [office@kutzendoerfer.at](mailto:office@kutzendoerfer.at)  
Fax: +43 (0) 1 616 22 12 WEB: [www.kutzendoerfer.at](http://www.kutzendoerfer.at)

## Abbreviations:

- W** - Waterbased product
- WD** - Water Displacement
- RC** - Rust Converter
- EH** - Extra Heavy
- LV** - Low viscosity
- BF** - Barium Free
- FR** - Fire Resistance
- SD** - Sound Deadening
- TPC** - Temporary Protection Coating

# Index

Cavity Wax	04
Chassis Coating	11
Engine Coating	13
Conservating Engine Oil	14
Multipurpose Products	17
Sound Damping	40
Specialty	44
Underside and Underbody Coating	48

# Cavity Wax

## Non Solvent

Tectyl Cavity Wax Non Solvent provides corrosion protection to door panels, side sills and frames via a water-displacing, translucent wax coating. It's non solvent properties ensure significantly more coverage - up to 50% more efficiency - and less smell when compared to organic solvent products.

Extension hose sold separately.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Non solvent	24 months - N/A.	24,4 m <sup>2</sup> /ltr
Product characteristic	Colour	Aerosol
Oil/resin	Light yellow	887098

# Cavity Wax

## Amber

Tectyl Cavity Wax Amber provides corrosion protection to door panels, side sills and frames via a water-displacing, translucent amber coloured wax coating. Special attention has to be paid to corners, seams and other places where water can collect. The drain holes in the door must be checked regularly and kept open.

Extension hose sold separately.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Solvent	18 months - N/A.	8,8 m <sup>2</sup> /ltr
Product characteristic	Colour	Aerosol
Wax	Amber	887097

# Cavity Wax

## Tectyl 4D750

Tectyl 4D750 is a premium, resin/oil based, liquid corrosion preventive compound formulated with ultra-low VOC – minimum of volatile organic components. It ensures excellent penetration into folds, flanges and cracks, making it very suitable as a corrosion protective for automotive and industrial applications such as the inside of car doors and other hollow sections of cars and rolling equipment.

Cures to a light yellow, translucent, semi-soft film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage		
Non solvent	24 months - N/A.	24,4 m <sup>2</sup> /ltr		
Product characteristic	Colour	Pail	Drum	IBC
Oil/resin	Light yellow	802287	VE21512	812919

# Cavity Wax

## Tectyl 4D750 Brown OEM

Tectyl 4D750 Brown OEM is a premium, resin/oil based, liquid corrosion preventive compound formulated with ultra-low VOC - minimum of volatile organic components. It ensures excellent penetration into folds, flanges and cracks, making it very suitable as a corrosion protective for automotive and industrial applications such as the inside of car doors and other hollow sections of cars and rolling equipment.

Cures to a brown, translucent, semi-soft film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage		
Non solvent	24 months - N/A.	23,6 m <sup>2</sup> /ltr		
Product characteristic	Colour	Pail	Drum	IBC
Oil/resin	Brown	853602	VE21527	783197

# Cavity Wax

## Tectyl 210-R

Tectyl 210-R is a solvent cutback, wax base, thixotropic corrosion preventive compound developed for protection at factory level of enclosed boxes, seams, joints and other creviced locations susceptible to corrosion in vehicles.

Cures to a semi-hard, waxy, light amber colored, translucent and slightly tacky film



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Solvent	24 months - N/A.	7,5 m <sup>2</sup> /litr	
Product characteristic	Colour	Pail	Drum
Wax	Light brown	802251	VE20626

# Cavity Wax

## Tectyl 550 ML

Tectyl 550-ML is a wax based, solvent cutback corrosion preventive compound with good water displacing properties and penetration, making it very suitable as a corrosion protective for the inside of car doors and other hollow sections of cars and rolling equipment.

Cures to an amber colored, waxy, semi-firm translucent film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage				
Solvent	18 months - N/A.	8,8 m <sup>2</sup> /ltr				
Product characteristic	Colour	1L	5L	Pail	Keg	IBC
Wax	Brown	VE20080	VE20070	802260	VE20843	617068

# Cavity Wax

## Tectyl 558 AMC

Tectyl 558-AMC is a solvent cutback, slightly thixotropic wax based corrosion preventive compound with good water displacing properties. Primarily intended for protection of enclosed boxes, seams, joints and other creviced locations susceptible to corrosion in vehicles. Recommended as a primer coat for underbody protection with Tectyl 120 or Tectyl 120H.

Cures to a dark amber colored, translucent, waxy, semi-firm, slightly tacky film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Solvent	18 months - N/A.	7 m <sup>2</sup> /ltr	
Product characteristic	Colour	Keg	Drum
Wax	Dark brown	VE20853	VE20856

# Chassis Coating

## Tectyl 300G Clear E

Tectyl 300G clear E is a water based, overpaintable corrosion preventive coating. It provides an effective barrier against corrosive environments for ferrous and non-ferrous fabrications and industrial components. Specially suitable for chassis.

Cures to a hard, transparent and flexible film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Waterbased	36 months - 12 months	6,3 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	Drum
Polymer dispersion	Transparent	802306	736704

# Chassis Coating

## Tectyl 300G Black E

Tectyl 300G Black E is a water based, overpaintable corrosion preventive coating. It provides an effective barrier against corrosive environments for ferrous and non-ferrous fabrications and industrial components. Specially suitable for chassis.

Cures to a black, hard and flexible film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Waterbased	36 months - 12 months	6,3 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	IBC
Polymer dispersion	Black	802307	790341

# Engine Coating

## Tectyl 3217-E

Tectyl 3217-E is a premium, water based corrosion preventive coating. Developed with an environmental friendly formulation to protect unfinished metal and industrial finishes in acid or normal surroundings. It provides excellent protection for steel, stainless steel and aluminum surfaces. Specially suitable to protect the outside of engine parts and complete engines.

It cures to a transparent, resilient, firm and temperature resistant film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Waterbased	36 months - 12 months	10,4 m <sup>2</sup> /ltr
Product characteristic	Colour	Drum
Polymer dispersion	Transparent	837058

# Conservating Engine Oil

## Tectyl 910

Tectyl 910 is an API CH-4/SJ SAE 10W corrosion preventive, internal combustion engine oil with excellent preservative and break-in oil in reciprocating spark-ignition and compression-ignition engines.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Non solvent	12 months - N/A.	N/A.	
Product characteristic	Colour	Drum	Bulk
Oil	N/A.	VE20936	340035

# Conservating Engine Oil

## Tectyl 930

Tectyl 930 is an API CH-4/SJ SAE 30 corrosion preventive, internal combustion engine oil with excellent preservative and break-in oil in reciprocating spark-ignition and compression-ignition engines.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Non solvent	12 months - N/A.	N/A.	
Product characteristic	Colour	Drum	Bulk
Oil	N/A.	VE20946	307751

# Conservating Engine Oil

## Tectyl 915W40

Tectyl 915W40 is an API CH-4/SJ SAE 15W-40 corrosion preventive, internal combustion engine oil with excellent preservative and break-in oil in reciprocating spark-ignition and compression-ignition engines.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Non solvent	12 months - N/A.	N/A.	
Product characteristic	Colour	Drum	Bulk
Oil	N/A.	VE90523	303882

# Multi Purpose Waterbased

Tectyl Multipurpose Waterbased is a versatile, transparent, corrosion preventive coating. The cured film is hard and flexible and is specially made to be applied on ferrous and non-ferrous fabrications and industrial components. Tectyl Multipurpose Waterbased has a fast drying time, can be applied direct to metal, is overpaintable and ideal for visual inspections due to its transparency. Additionally, Tectyl Multipurpose Waterbased is an excellent corrosion preventive for the storage or transit protection of finished and unfinished automotive parts.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Waterbased	36 months - 12 months	6,3 m <sup>2</sup> /ltr
Product characteristic	Colour	Aerosol
Polymer dispersion	Transparent	887111

# Multi Purpose Amber

Tectyl Multipurpose Amber is a wax based, solvent cutback corrosion preventive compound. The product has good water displacing properties and good penetration, making it very suitable as a versatile corrosion protective for a wide variety of applications: Automotive, Marine, Household and Industrial.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Solvent	36 months - 18 months	9,2 m <sup>2</sup> /ltr
Product characteristic	Colour	Aerosol
Wax	Dark brown	887100

# Multi Purpose Transparent

Tectyl Multipurpose Transparent is a colorless versatile corrosion preventive for automotive, industrial, marine and domestic use. Provides special protection to industrial and auto electrical wiring and contacts like ignition coil, spark plug wires and terminals. Can be used on ferrous and non-ferrous metals and in chromium-plated parts such as wheels of bicycles.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Solvent	36 months - 6 months	8,2 m <sup>2</sup> /ltr
Product characteristic	Colour	Aerosol
Resin	Transparent	887099

# Multi Purpose

## Tectyl 5506W

Tectyl 5506W is a water based, non-flammable, quick drying, polymer / wax based corrosion preventive compound formulated for general use. Recommended for long-term indoor and outdoor protection of metallic surfaces. Tectyl 5506W is the water based alternative for the 506 range of products.

Cures to a clear, amber colored, translucent, firm and elastic film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Waterbased	48 months - 36 months	10 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	Drum
Polymer/Wax	Light brown	784790	784788

# Multi Purpose

## Tectyl 5350W

Tectyl 5350W is a wax, water based, thixotropic corrosion preventive compound. It is nonflammable and can be used for the protection of ferrous objects such as parts, steel casing and pipes in indoor or covered storage.

Cures to a brown colored, firm, translucent film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Waterbased	27 months - 15 months	8 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	Drum
Wax	Brown	802289	VE21477

# Multi Purpose

## Tectyl 846

Tectyl 846 is a solvent cutback, wax based, general purpose, corrosion preventive compound which meets the performance requirements of Military Specification MILC- 16173D, Grade 4. Excellent for long term protection of metallic surfaces against corrosion in either indoor or outdoor exposure and during domestic and international shipments. Recommended for protection of general machinery, machine rolls/tools, automatic parts, dies, tubing, and spare parts.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Solvent	36 months - 18 months	9,2 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	Drum
Wax	Dark brown	802282	VE20746

# Multi Purpose

## Tectyl 506

Tectyl 506 is a wax based, solvent cutback corrosion preventive compound. The product has good water displacing properties and penetration, making it very suitable as a versatile corrosion protective for a wide variety of applications: automotive, marine, household and industrial as well as indoor and outdoor protection of parts, even during long haul shipments.

Cures to a dark amber colored, waxy, translucent firm film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage			
Solvent	36 months - 18 months	9,2 m <sup>2</sup> /ltr			
Product characteristic	Colour	5L	Pail	Keg	Drum
Wax	Dark brown	VE20090	802256	VE20733	VE20736

# Multi Purpose

## Tectyl 506-EH

Tectyl 506-EH is the extra heavy version of Tectyl 506. It is a wax based, solvent cutback corrosion preventive compound. The product has good water displacing properties and penetration, making it very suitable as a versatile corrosion protective for a wide variety of applications: automotive, marine, household and industrial as well as indoor and outdoor protection of parts, even during long haul shipments.

Cures to a dark amber colored, waxy, translucent firm film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage		
Solvent	48 months - 36 months	9,4 m <sup>2</sup> /ltr		
Product characteristic	Colour	Pail	Keg	Drum
Wax	Dark brown	797955	VE20753	VE20756

# Multi Purpose

## Tectyl 506-WD

Tectyl 506-WD is the water displacing version of Tectyl 506. It is a wax based, solvent cutback corrosion preventive compound. The product has excellent water displacing properties and penetration, making it very suitable as a versatile corrosion protective for a wide variety of applications: automotive, marine, household and industrial as well as indoor and outdoor protection of parts, even during long haul shipments.

Cures to a dark amber colored, waxy, translucent firm film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Solvent	24 months - 12 months	9,6 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	Drum
Oil	Dark brown	802258	VE20776

# Multi Purpose

## Tectyl 400-C

Tectyl 400-C is a solvent cutback, wax based, corrosion preventive compound, developed to protect metal surfaces against corrosion in long-term indoor or short-term outdoor exposure and during domestic and overseas shipment.

Cures to a dark amber colored, waxy, transparent, firm film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Solvent	24 months - 6 months	16,3 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	Drum
Wax	Dark brown	802252	VE20696

# Multi Purpose

## Tectyl 511-M

Tectyl 511-M is a solvent cutback, water displacing, oil based corrosion preventive compound which meets the performance requirements of Military Specification MIL-C-16173 D, Grade 5. Tectyl 511-M is developed to protect ferrous and non-ferrous industrial parts and transportation components during covered shipment and inside storage.

Cures to a light amber colored, transparent oily film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage			
Solvent	18 months - N/A.	52,4 m <sup>2</sup> /ltr			
Product characteristic	Colour	Pail	Keg	Drum	IBC
Oil	Light brown/transparent	797956	VE20793	VE20796	617069

# Multi Purpose

## Tectyl 846-K-19

Tectyl 846-K-19 is a solvent cutback, wax based, corrosion preventive compound suitable for a wide range of applications such as machinery, machine rolls/tools, automatic parts, dies, tubing and spare parts facing indoor or outdoor exposure and during short or long haul shipments.



Product category	Estimated indoor - outdoor protection	Theoretical coverage		
Solvent	51 months - 24 months	9,4 m <sup>2</sup> /ltr		
Product characteristic	Colour	Pail	Keg	Drum
Wax	Dark brown	802284	VE20903	VE20905

# Multi Purpose

## Tectyl 502-C

Tectyl 502-C is a solvent cutback, soft wax / oil based corrosion preventive compound developed to protect ferrous and non-ferrous parts in indoor and covered storage and shipment.

Cures to a dark amber, transparent, soft greasy film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Solvent	24 months - 6 months	22,2 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	Drum
Oil/wax	Dark brown	802254	VE20726

A photograph of a desert landscape during a dust storm. The sky is filled with heavy, greyish-brown dust, obscuring the sun and creating a hazy atmosphere. In the foreground, a dark asphalt road curves from the bottom right towards the center. A white line marks the edge of the road, and a yellow line is visible at the very bottom right corner. Sparse, dry, yellowish-brown bushes and small trees are scattered along the roadside. In the background, rolling hills and mountains are visible, their details softened by the dust. The overall color palette is dominated by earthy tones: browns, tans, and greys.

**Wherever corrosion  
protection is needed,  
there we are.**



Born to protect.



# Multi Purpose

## Tectyl 127 CGW

Tectyl 127 CGW is a solvent cutback, wax based, thixotropic, gelled, aluminum pigmented corrosion preventive compound which can be used to provide long term protection for metal surfaces against corrosion in weathering, moist or salt corrosive surroundings.

Cures to a firm, resilient, tough film with aluminum color.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Solvent	36 months - 24 months	2,5 m <sup>2</sup> /ltr
Product characteristic	Colour	Pail
Wax	Aluminium	801432

# Multi Purpose

## Tectyl TPC Invisible

Tectyl TPC Invisible is a concentrate corrosion preventive compound developed for diluting in water. It gives excellent corrosion protection in highly humid environments which makes it extremely versatile. The product can be used in spare parts in indoor storage and does not need to be removed before use.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Waterbased	6 months - N/A.	5000 m <sup>2</sup> /ltr
Product characteristic	Colour	Pail
Polymer	Transparent	854414

# Multi Purpose

## Tectyl 5502W

Tectyl 5502W is a premium water based, soft, waxy / oily, corrosion preventive compound developed to protect ferrous and non-ferrous parts in indoor or covered storage and during shipment. The product can be used in most applications - except gearboxes - where Tectyl 502-C and derivatives are used.

Cures to a yellow-amber, transparent, soft greasy film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Waterbased	24 months - N/A.	11,5 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	Drum
Wax/oil	Yellow/amber	842874	853242

# Multi Purpose

## Tectyl 477-D

Tectyl 477-D is an oil based, concentrate corrosion preventive compound. The film is oily and transparent and it is intended to be diluted with mineral oil or aliphatic solvent. The diluted version provides protection for ferrous and non-ferrous industrial parts during indoor storage.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Non solvent	6 months - N/A.	99 m <sup>2</sup> /ltr
Product characteristic	Colour	Drum
Oil	Transparent	VE20716

# Multi Purpose

## Tectyl 800-D BF

Tectyl 800-D BF is recommended for the protection and lubrication of industrial equipment, tools, pneumatic controls, light duty machinery and motors in moist, cold conditions. Tectyl 800-D BF is a Barium Free, water displacing, low viscosity, lubricating corrosion preventive oil and serves as a light gauge wire preservative and a tube coating for undercover shipment and indoor storage.



Product category	Estimated indoor - outdoor protection	Theoretical coverage		
Non solvent	24 months - N/A.	155 m <sup>2</sup> /ltr		
Product characteristic	Colour	Pail	Drum	Bulk
Oil	Transparant	863593	863592	862008

# Multi Purpose

## Tectyl 283-S-17

Tectyl 283-S-17 is a solvent cutback, water displacing, oil based corrosion preventive compound, lubricant and penetrant. Tectyl 283-S-17 is used to protect industrial parts during long-term indoor or covered storage, and during domestic shipment.

The film cures to an ultralight, transparent, nonstaining oil.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Solvent	6 months - N/A.	87 m <sup>2</sup> /ltr
Product characteristic	Colour	Drum
Oil	Transparent	VE21176

# Multi Purpose

## Tectyl 810

Tectyl 810 is a concentrate mineral oil based corrosion preventive compound, which can be diluted with demineralised or soft water to a milky white emulsion. Tectyl 810 when emulsified at 5-25 % in water protects metal surfaces in indoor or covered storage against corrosion and gives excellent lubricity for a variety of industrial metalworking.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Solvent	6 months - N/A.	800 m <sup>2</sup> /ltr	
Product characteristic	Colour	Drum	Bulk
Oil	Transparant	VE20896	323655

# Multi Purpose

## Tectyl 472

Tectyl 472 is a solvent cutback, water displacing, penetrating, oil based corrosion preventive compound. It is used to protect industrial parts during long-term indoor or covered storage and domestic shipment.

Cures to an ultra light, transparent oil film and has finger print removing properties.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Solvent	6 months - N/A.	68,5 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	Drum
Oil	Transparent	802253	VE20706

# Sound Damping

## Tectyl 5638W

Tectyl 5638W is a water dispersed, special filler/binder sound damping compound free from organic solvent. Suitable for industrial application on cars, trains, and other rolling equipment. It can also be used for sound reduction on vehicle parts (doors, hoods, gear coverings, etc.), air ventilation systems, containers (for glass, garbage, etc.), machine constructions and boiler covers in the heating sector.

Fast drying (by evaporation of water) to a black, hard film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Waterbased	N/A. - N/A.	0,4 m <sup>2</sup> /ltr
Product characteristic	Colour	Drum
Polymer dispersion	Dark grey	VE21423

# Sound Damping

## Tectyl 5638W-A

Tectyl 5638W-A is a water dispersed special filler/binder, sound damping compound, almost free from organic solvent. Suitable for small industrial application on cars, trains, and other rolling equipment or for sound reduction on vehicle parts (doors, hoods, gear coverings, etc.), air ventilation systems, containers (for glass, garbage, etc.), machine constructions and boiler covers in the heating sector. It has been specially developed for use with suitable, low pressure, suction spray equipment.

Fast drying (by evaporation of water) to a greyish black, hard film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Waterbased	N/A. - N/A.	1 m <sup>2</sup> /ltr
Product characteristic	Colour	Pail
Polymer dispersion	Dark grey	802303

# Sound Damping

## Tectyl 5660W FR

Tectyl 5660W FR is a premium water based, fire resistance - non volatile -, thixotropic, quick drying, (co)polymer dispersion based underbody coating corrosion preventive compound. Tectyl 5660W FR is developed as an abrasion resistant underbody coating for buses, truck cabins, containers, trailers and etc. Specially suitable for trains and trams where EN DIN 45545 HL2 R1 and R7 classification is required.

TECTYL 5660W FR cures to a dark-grey colored, abrasion resistant, resilient and tough film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Waterbased	10 years - 3 years	0,6 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	Drum
(Co) Polymer dispersion	Dark grey	873551	880018

# Sound Damping

## Tectyl 3660 FR-SD

Tectyl 3660W FR-SD is developed as an excellent fire resistance and sound damping underbody coating for trains, trams, buses and truck cabins where EN DIN 45545 HL2 R1 and R7 classification is required. It is also suitable for complete undercoating of containers and trailers. The product is highly effective in reducing vibrational resonance conditions in structures such as sheet metal panels, floor housings, stainless sinks, and a multitude of other applications.

It cures to an off-white, resilient and hard film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Waterbased	10 years - 3 years	0,33 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	Drum
(Co)polymer dispersion	Off-white	888002	887960

# Specialty

## Tectyl Biocleaner

Tectyl Biocleaner is a water based, biodegradable cleaner intended for removal of synthetic, animal, vegetable and mineral oils, greases and coatings. The product can be diluted with normal water.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Waterbased	N/A. - N/A.	N/A.
Product characteristic	Colour	Pail
Polymer dispersion	Transparent	862979

# Specialty

## Tectyl 5401W RC

Tectyl 5401W RC (rust converter) is a milky white-cream liquid, based on water reducible chelating polymers. It does not contain phosphoric acid that can be used on rusted steel and sandblasted steel as a pre-coating preparation. It is compatible with most paint types and coating systems, such as alkyd systems, modified alkyds, chlorinated rubber, epoxies, polyurethanes, and vinyls. The product is non-hazardous, non-flammable and the dry film is fire retardant.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Waterbased	N/A. - N/A.	20 m <sup>2</sup> /ltr
Product characteristic	Colour	Pail
Polymer dispersion	Milky white	666558

# Specialty

## Tectyl 858-F

Tectyl 858-F is a premium synthetic based, water-resistant, multipurpose NLGI 2 grease and corrosion preventive compound which can be used for lubrication and surface corrosion protection of industrial and automotive equipment operating over the temperature range of -54° to 180°C.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Non solvent	N/A. - N/A.	N/A.
Product characteristic	Colour	Pail
Grease	Light brown	847465

# Specialty

## Valvoline 150

Valvoline 150 is an easy to use coating remover for solvent based Tectyl coatings.



Product category	Indoor - outdoor protection	Theoretical coverage	
Solvent	N/A. - N/A.	N/A.	
Product characteristic	Colour	Pail	Drum
White spirit	Transparent	VE90966	VE90965

# Underside Coating

## Stone-Chipping Black

Tectyl Stone-Chipping Black is a solvent cutback, rubber/resin based corrosion preventive compound recommended for protection of ferrous metals and the undersides of cars, trucks and trailers against corrosion and abrasive damage. The product is fast drying, has sound deadening properties and it is overpaintable.

Cures to a black, firm, resilient, tough film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Solvent	N/A. - 21 months	1,4 m <sup>2</sup> /ltr
Product characteristic	Colour	Aerosol
Resin	Black	887112

# Underside Coating

## Tectyl 190 Black

Tectyl 190 BLACK is a black colored, solvent cutback, rubber/resin based corrosion preventive compound recommended for the protection against corrosion and abrasive damage of ferrous metals and the underbodies of autos, trucks and trailers. It is fast drying, has sound deadening properties and can be painted over.

Cures to a black, firm, resilient, tough film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Solvent	N/A. - 21 months	1,4 m <sup>2</sup> /litr
Product characteristic	Colour	1L
Resin	Black	VE20005

# Underbody Coating

## Bronze

Tectyl Underbody Coating Bronze is a solvent cutback, wax / asphaltic based, corrosion preventive compound. The product is suitable to be applied to the underbody of vehicles.



Product category	Estimated indoor - outdoor protection	Theoretical coverage
Solvent	N/A. - N/A.	N/A.
Product characteristic	Colour	Aerosol
Wax/asphaltic	Bronze	887095

# Underbody Coating

## Tectyl 5660W

Tectyl 5660W is a water based corrosion preventive compound developed as an high abrasion resistant underbody coating specially for buses. It also behaves as an excellent sealant for wooden surfaces.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Waterbased	N/A. - 24 months	1,2 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	Drum
Polymer dispersion	Dark grey	802308	775440

# Underbody Coating

## Tectyl 5765W-A

Tectyl 5765W-A is a water based, (co)polymer dispersion coating developed as an abrasion resistant underbody coating for buses and trucks. It is also suitable for complete undercoating of containers, trailers, caravans and other recreational vehicles. Additionally, the product behaves as an excellent sealant for wooden floors of buses, trucks and caravans.

Cures to a dark-grey colored, abrasion resistant, resilient, firm film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Waterbased	N/A. - 24 months	2,1 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	Drum
Polymer dispersion	Dark grey	802305	671797

# Underbody Coating

## Tectyl 5750W Black

Tectyl 5750W Black is a High Non Volatile, filled latex/bitumen, water based, thixotropic, quick drying, non-flammable, corrosion preventive compound. Developed as an abrasion resistant underbody coating for railroad carriages, buses and truck cabins. It is also suitable for complete undercoating of containers and trailers. Additionally, the product behaves as an excellent sealant for wooden floors of buses and trucks.

Cures to a black colored, abrasion resistant, resilient, firm film.



Product category	Indoor - outdoor protection	Theoretical coverage	
Waterbased	N/A. - 24 months	1,9 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	Drum
Bitumen polymer dispersion	Black	802304	VE21430

# Underbody Coating

## Tectyl Bodysafe

Tectyl Bodysafe is a solvent cutback, wax / asphaltic based corrosion preventive compound. The product is suitable to be applied to the underbody of vehicles.



Product category	Estimated indoor - outdoor protection	Theoretical coverage		
Solvent	N/A. - 21 months	2,1 m <sup>2</sup> /ltr		
Product characteristic	Colour	1L VC	1L PT	5L
Wax/asphaltic	Black	VE20050	VE20035	VE20040

# Underbody Coating

## Tectyl 120

Tectyl 120 is a filled, solvent cutback, wax/asphaltic based, thixotropic, corrosion preventive compound. Suitable for the complete undercoating of cars, trucks, buses, truck trailers, camp trailers, heavy construction equipment and cargo containers.

Cures to a firm, bronze colored, resilient, tough and abrasion resistant film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage		
Solvent	36 months - 21 months	1,9 m <sup>2</sup> /ltr		
Product characteristic	Colour	Keg	Drum	IBC
Wax/asphaltic	Bronze	VE20503	VE20505	VE20508

# Underbody Coating

## Tectyl 120-EH

Tectyl 120-EH is the extra heavy version of Tectyl 120. It is a filled, solvent cutback, wax/asphaltic based, thixotropic, corrosion preventive compound. Suitable for the complete undercoating of cars, trucks, buses, truck trailers, camp trailers, heavy construction equipment and cargo containers.

Cures to a firm, bronze colored, resilient, tough and abrasion resistant film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage		
Solvent	36 months - 21 months	2 m <sup>2</sup> /ltr		
Product characteristic	Colour	Keg	Drum	IBC
Wax/asphaltic	Bronze	VE21143	VE21145	VE21147

# Underbody Coating

## Tectyl 121-LV

Tectyl 121-LV is a filled, solvent cutback wax/asphaltic based, thixotropic, corrosion preventive compound. Suitable for the complete undercoating of cars, trucks, buses, truck trailers, camp trailers, heavy construction equipment and cargo containers. Additionally, Tectyl 121-LV is suitable for use in industrial constructions of ovens and chimneys, where severe condensation caused by temperature differences occurs.

Cures to a firm, black, resilient, tough and abrasion resistant film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage		
Solvent	36 months - 21 months	2,1 m <sup>2</sup> /ltr		
Product characteristic	Colour	Pail	Drum	Bulk
Wax/asphaltic	Black	801347	VE20525	VE20528

# Underbody Coating

## Tectyl 122-A

Tectyl 122-A is a solvent cutback wax/asphaltic based, thixotropic corrosion preventive compound. Suitable to be applied to the undersides of vehicles.

Dries to a relatively firm, black, resilient, tough film.



Product category	Estimated indoor - outdoor protection	Theoretical coverage	
Solvent	36 months - 21 months	2,1 m <sup>2</sup> /ltr	
Product characteristic	Colour	Pail	Drum
Wax/asphaltic	Black	801431	VE20546

# Aerosol Extension Hose Nozzle Attachment

Ideal for attaching to 500ml aerosols when applying vehicle cavity waxes. Designed for use with Tectyl Cavity Wax Amber and Tectyl Cavity Wax Non Solvent aerosols. Makes it faster and easier for automotive technicians to apply cavity wax in hard-to-reach places.



Product category	Product characteristic	Box with 12 units
Spare parts - Attachment	Rigid	887785

#### Note:

All statements, information and data presented herein are believed to be accurate and reliable, but are not to be taken as a guarantee, an express warranty, or an implied warranty of merchantability or fitness for a particular purpose, or representation, express or implied, for which Ellis Enterprises B.V. and its affiliates assume legal responsibility.

Packaging images may be for illustration purposes only. Actual packages may differ in color, shape and labeling.

[www.tectyleurope.com](http://www.tectyleurope.com)



Wieldrechtseweg 39  
3316 BG Dordrecht  
The Netherlands

+31 786 543 500  
[valvolineeuropemarketing@valvoline.com](mailto:valvolineeuropemarketing@valvoline.com)